


PCMS-1500 TRAILER-MOUNTED MESSAGE SIGN

Ver-Mac's PCMS-1500 is a full-matrix trailer-mounted portable changeable message sign. It displays 3 lines and 8 characters (18 in.) per line by default, with the ability to display multiple fonts and graphics.

This unit comes equipped with Stealth Technology, an NTCIP-compliant V-Touch Controller, V-Sync Wi-Fi communication, and JamLogic[®] Fleet Management Software.

The PCMS-1500 combines cutting-edge technology, energy-efficient design and high-quality construction to provide the most reliable, cost-effective and safe message sign to operate on the market.



PRO SERIES FEATURES

STEALTH TECHNOLOGY

Maintenance-free batteries
Anti-theft hidden battery compartment

V-SYNC WI-FI TECHNOLOGY

Change messages with your smartphone
Safely change messages away from traffic

ROBUST TRAILER DESIGN

Large footprint for greater stability
Diamond plate maintenance platform
Tongue wheel jack for safe and easy set up
Controller located away from the road
Rugged indexed rod mast brake

FULLY-INTEGRATED CELLULAR 4G LTE MODEM

10-year fleet cell service
Smart Work Zone upgrade (optional)


JAMLOGIC[®] SOFTWARE

Hourly automated status and battery/GPS alerts & reports
Interactive map & list view of all equipment
Project folders to organize equipment
Logs date/time of all remotely activated messages

APPLICATIONS

- Highway construction
- Smart work zones
- Special events

3 WAYS TO CHANGE A MESSAGE



ON THE SIGN

Using our V-Touch Controller



NEAR THE SIGN

Using our V-SYNC Wi-Fi



REMOTELY

Using JamLogic[®] Web on your computer, tablet or smartphone

ENERGY-EFFICIENT DESIGN

HIGH-CONTRAST ELECTRONIC CARDS

Create bold and bright characters with greater angularity

SOLAR PANELS

Provide maximum solar recharging year-round

Designed to run 12 months in most regions without manual charging

Optional tilt & rotate solar panels

SOLAR REGULATOR

Protects the batteries against overcharge, over-discharge and short circuits

HIGH-QUALITY CONSTRUCTION

SUPERIOR POWDER COATING FINISH

Impact, humidity, salt spray and rust resistant

4 LEVELING JACKS

Stabilization and easy transportation

ELECTRO-HYDRAULIC LIFT MECHANISM

Quick and effortless deployment

RUGGED INDEXED ROD MAST BRAKE

360° rotation (6° increments combined with infinite position using manual hand brake)

LOCKABLE PLASTIC BOX

Protection for controller, modem, pump, and other components

2-IN. (51 MM) COUPLER OR 3-IN. (76 MM) PINTLE EYE

Easy towing

V-TOUCH CONTROLLER

NTCIP COMPLIANT

EASY-TO-READ

7-inch (178 mm) color LCD touchscreen display

TIME-SAVING

Create your own library of messages

SIMPLE TO OPERATE

Intuitive point-and-go icons make displaying and editing messages quick and easy

ADDITIONAL FUNCTIONALITIES

Scheduling, sign diagnostics, pin-protected security, and much more



Transport position

DISPLAY

- Display panel: 131 x 75 in. (3331 x 1917 mm)
- Full-matrix of 28 x 48 pixels
- 4 LEDs per pixel
- 3 lines of 8 characters per line (default) & graphics capability
- 5 x 7 pixels (18 in.) characters (default)
- Display sign rotates 360 degrees for perfect setting
- Improved plug-and-play display modules for simplified maintenance

DIMENSIONS AND WEIGHT

- Operating height: 165 in. (4196 mm)
- Overall length: 183 in. (4637 mm)
- Traveling height: 106 in. (2707 mm)
- Traveling width: 87 in. (2197 mm)
- Weight (approx.): 1,740 lbs (790 kg)
- Axle/suspension: 3,500 lbs (1588 kg)

OPTIONS

- Battery charger
 - Radar
 - Statistics (requires radar)
 - Fixed camera
 - Tilt-and-rotate solar panels
- Other options are available to meet your needs.

WARRANTY

- 1 year on complete unit
- 2 years on electronic components manufactured by Ver-Mac

